

Fauna silvestre en ecosistemas forestales

Depto. 9 DE JULIO | SAN CRISTÓBAL | CASTELLANOS | LAS COLONIAS

Láminas con especies focales para realizar entrevistas para Planes de Manejo y Conservación de Bosque Nativo.

Especies de fauna silvestre asociada a ecosistemas forestales de la provincia de Santa Fe | Exóticas invasoras, especies amenazadas o de distribución restringida y Monumentos Naturales



RANA CORALINA
(*Leptodactylus latideps*)

© Ricardo Reques www.inaturalist.org

TORTUGA CHAQUEÑA
(*Chelonoidis chilensis*)

LAMPALAGUA
(*Boa constrictor occidentalis*)

© Andrés Pautasso www.inaturalist.org

LAGARTIJAS ARBORÍCOLAS (*Tropidurus spinolosus*)



© Analía Belaus www.inaturalist.org

MARTINETA CHAQUEÑA

(*Eudromia formosa*)



© Francisco Gonzalez Táboas www.inaturalist.org

PATO CRESTUDO
(Sarkidiornis sylvicola)



© David Samata Flores www.inaturalist.org

HALCONCITO GRIS

(*Spiziapteryx circumcincta*)



© Adrian Braidotti www.inaturalist.org

CHARATA
(*Ortalis canicollis*)



© Marcel Deventer www.inaturalist.org

CHUÑA PATAS NEGRAS (*Chunga burmeisteri*)



© J L Cartes www.inaturalist.org



LORO HABLADOR
(Amazona aestiva)



© Carlos Sanchez www.inaturalist.org

CALANCATE CABEZA AZUL (*Thectocercus acuticaudatus*)



© Andrea Talone Río www.inaturalist.org

LECHUZA BATARÁZ CHAQUEÑA (*Strix chacoensis*)



© Andrés Pautasso www.inaturalist.org

CARPINTERO NEGRO
(*Dryocopus schulzi*)

© Hermanas del monte www.inaturalist.org

GALLITO COPETÓN (*Rinochrypta lanceolata*)



© Daniel Oscar Molina www.inaturalist.org

A giant armadillo (Myrmecophaga tridactyla) is shown in its natural habitat, a grassy field. The animal is dark brown with a distinctive white stripe running down its back and another stripe on its face. It has a long, pointed snout and is standing on its hind legs, leaning forward. The background is a vast, open landscape with tall, dry grass and a few small rocks.

OSO HORMIGUERO
(*Myrmecophaga tridactyla*)

© Nial Perrins www.inaturalist.org


A photograph of a Tamandua tetradactyla, also known as an Oso Melero, climbing a thick, textured tree branch. The animal has a black body with distinctive reddish-brown patches on its head, neck, and limbs. It is facing right, with its long, dark snout extended forward. The background is a soft-focus view of other tree branches and green leaves.

OSO MELERO
(Tamandua tetradactyla)

© Giff Beaton www.inaturalist.org



MATACO BOLA
(Tolypeutes matacus)



CABASÚ o PICHICIEGO (*Cabassous chacoensis*)



CHANCHO CIMARRÓN
(*Sus scrofa*)

© MAYCC www.inaturalist.org

**CHANCHO MORO o
PECARÍ DE COLLAR**
(*Pecari tajacu*)



© Antonino Gonçalves Medina www.inaturalist.org

GUAZUNCHO

(*Mazama gouazoubira*)



© Nereston Camargo www.inaturalist.org



© Luciano Massa www.inaturalist.org

CIERVO AXIS (*Axis axis*)



© Heliaates www.inaturalist.org



PUMA
(*Puma concolor*)

© Behind the vines foundation www.inaturalist.org

COATÍ (*Nasua nasua*)



VIZCACHA

(*Lagostomus maximus*)



© Nicolas Olejnik www.inaturalist.org

CONEJO DE LOS PALOS

(Pediolagus salinicola)



© birdwatcher www.inaturalist.org

TAPETÍ

(*Sylvilagus brasiliensis*)



© Gonzalo Tiocliiff www.inaturalist.org

Águila Coronada

Individuo adulto



© José Sarasola

Águila Coronada

Individuo juvenil



© Ricardo Battistino



© Mauricio Rossanigo

© Martín R. de la Peña

Cardenal Amarillo

Individuo macho



© Federico Nagel

Cardenal Amarillo

Individuo hembra



© Ricardo Battistino



© Fabricio Reales



© Martín R. de la Peña