

ANEXO XIV

REFERENCIAS BIBLIOGRÁFICAS

American Society of Civil Engineers, ASCE (1992), “*Design and Construction of Urban Stormwater Management Systems*”, ASCE Manuals and Report of Eng. Practice N° 77, WEF Manual of Practice FD-20. U.S.A

Ayala-Carcedo, F. J. *El Sofisma de la Imprevisibilidad de las Inundaciones y la Responsabilidad Social de los Expertos . Un Análisis del Caso Español y sus Alternativas.* Instituto Geológico y Minero de España Ministerio de Ciencia y Tecnología - Boletín de la Asociación de Geógrafos Españoles, n° 33, 2002

Barros, V. , R. Bejarán. “Adaptación al Cambio Climático en Argentina: Dónde Estamos?” CIMA (CONICET) - Departamento de Ciencias de la Atmósfera y los Océanos, UBA. Abril de 2005.

Berga, L. “Dams and Floods”. ICOLD Bulletin. Paris, 2002.

Berger, J.O, *Statistical decision theory and Bayesian analysis (Springer series in statistics)*, 2nd edition, Springer-Verlag, New York, 1985.

Bernier, J., J. Miquel, A. Lebosse And A. Griffet, Use of additional historical information for estimation and goodness of fit of flood frequency models, V.P. Singh(ed.), *Application of Frequency and Risk in Water Resources*, pp. 153-164, D. Reidel Publishing Company, 1987.

Bertoni, J.C. (1996), “*Inundaciones Urbanas - La Necesidad de Conjugar Acciones Municipales, Provinciales y Nacionales*”. XVI Congreso Nacional del Agua, San Martín de los Andes, Argentina.

Bertoni, J. C. Y Tucci, C. 1993. “Precipitação. Capítulo 5 en Hidrologia, Ciência e Aplicação”. Editor: C. M. Tucci. Editora da Universidade / UFRGS-EDUSP. Porto Alegre, Brasil.

Bertoni, J.C.; Zucarelli, G.V.; Morresi, M.V. Y Rodríguez, D. (1998). *Aspectos fisiográficos e hidráulicos asociados a la red de drenaje santafesina*. XVII Congreso Nacional del Agua. Vol 2, 364-373. Santa Fe, Argentina.

Bianchi, E., 1895; “*Pliego de Condiciones para la construcción del puente sobre el río Salado en el paraje denominado Paso del Vinal*”. Marzo, Santa Fe. Argentina.

Bronstein, P.; R. E.. Henning, H. J. Hopwood, G. F. Vernet. "Aspectos Hidrológicos e Hidráulicos de la Crecida del Rio Salado de Abril de 2003". Trabajo contratado por el Gob. de Santa Fe, 2004.

CEPAL. "Evaluación del Impacto de las Inundaciones y del Desbordamiento del Río Salado en la Provincia de Santa Fe, República Argentina, 2003". NACIONES UNIDAS - COMISIÓN ECONÓMICA PARA AMÉRICA LATINA Y EL CARIBE – CEPAL - LC/BUE/R.246. 20 de junio de 2003

Calder, I.R., 1993. "*Hydrologic effects of land use change*" Cahpter 13. Handbook of Hydrology. Editor Maidment, D.R.

Catalini, C. G., 2001. "Altura areal de lluvia para diseño en la cuenca del río San Antonio". Tesis de grado de Ingeniería Civil, Universidad Católica de Córdoba. Córdoba, Argentina.

Catalini, C.G; Caamaño Nelli, G.; García, C.M (2002); "Curvas de decaimiento areal de lluvias de diseño efectos de la topografía y el clima sobre su forma" aprobado en el XX Congreso Latinoamericano de Hidráulica. La Habana, Cuba.

Catalini, C.G; "Aplicación de Series Temporales y Redes Neuronales Artificiales, a *datos Hidrometeorológicos*", Apuntes del Curso de Capacitación Específica INA-CIRSA, Villa Carlos Paz, Abr., 2004.

Chowdhury, J.U., J.R. Stedinger And L.-H. Lu, Goodness of fit tests for regional generalized extreme value flood distributions, *Water Resour. Res.*, 27(7), 1765-1776, 1991.

Chow, V.T.; Maidment D.R; Mays, L.W "Hidrologia Aplicada" Capítulos 8 y 9.Ed McGraw-Hill Interamericana S.A., Santafé de Bogotá, Colombia. 1999.

Cohn, T.A., Flood frequency analysis with historical flood information, M.Sc. Thesis, Cornell Univ., Ithaca, NY, Aug., 1984.

Cohn, T.A., The incorporation of historical information in flood frequency analysis, Ph.D. Thesis, Cornell Univ., Ithaca, NY, June, 1986.

Cohn, T.A., And J. R. Stedinger, Use of historical information in a maximum-likelihood framework, *J. of Hydrol.*, 96(1-4), 215-23, 1987.

Coles, S.G. And M.J. Dixon, Likelihood-based inference for extreme value models, submitted to *Extremes*, 1998.

Collado, A Y Bertuzzi M.L, 1995: "Santa Fe 1880-1840 Cartografía Histórica y expansión del Trazado". Programa de estudios interdisciplinarios de Historia Social – PEIHS. Centro de Estudios Históricos Facultad de Formación Docente en Ciencias. Proyecto CAI+D 93-94 Mundo Urbano Santafesino. Facultad de Arquitectura y Urbanismo. UNL, Santa Fe. Argentina.

Condie, R. And K. Lee, Flood frequency analysis with historical information, *J. of Hydrol.*, 58(1/2), 47-61, 1982.

Condie, R., Flood samples from a three-parameter lognormal population with historical information: the asymptotic standard error of estimate of the T-year flood, *J. of Hydrol.*, 85, 139-150, 1986.

Dayton, C.M. *SUBSET: Best Subsets using Information Criteria*. Journal of Statistical Software, Vol 06, Issue 02. 1998.

D.P.O.H. "Informe de las áreas técnicas de la DPOH de Santa Fe sobre la crecida del río Salado del año 2003". Santa Fe, 2003

Dupuis, D.J., Estimating the probability of obtaining nonfeasible parameter estimates of the generalized Pareto distribution, *J. Statist. Comput. Simul.*, Vol. 54, 197-209, 1996.

Fill, H.D. And J.R. Stedinger, Using regional regression within index flood procedures and an empirical Bayesian estimator, *J. of Hydrol.*, 210, pp. 128-145, 1998.

Francés, F., J.D. Salas And D.C. Boes, Flood frequency analysis with systematic and historical or paleoflood data based on the two-parameter general extreme value models, *Water Resour. Res.*, 30(6), 1653-1664, 1994.

Francou, J.; Rodier, J.A. Essai de classification des crues maximales observées dans le monde. Cah. ORSTOM sér. Hydrol. Vol. IV, n°3, 1997

García, C. M., C. G. Catalini Y G. Caamaño Nelli. "Distribución espacial de la lluvia de diseño en una cuenca de montaña". Memorias del XIX Congreso Latinoamericano de Hidráulica, Córdoba 2000, pp 309-318. Córdoba, Argentina. 2001

Glauss, E., 2003. "*Los tres puentes de la Colonia Esperanza*". Periódico El Colono del Oeste. Septiembre, Esperanza. Argentina.

Greis, N.P. And E.F. Wood, Regional flood frequency estimation and network design, *Water Resour. Res.*, 17(4), 1167-1177, 1981. (Correction: *Water Resour. Res.*, 19(2), 589-590, 1983.)

Hirsch, R.M. And J.R. Stedinger, Plotting positions for historical floods and their precision, *Water Resour. Res.*, Vol. 53 (4), 715-727, 1987.

Hosking, J.R.M. And J.R. Wallis, Parameter and quantile estimation for the generalized Pareto distribution, *Technometrics*, 29(3), 339-349, 1987.

Hosking, J.R.M. L-Moments: Analysis and estimation of distributions using linear combinations of order statistics, *J. of Royal Statistical Society, B*, 52(2), 105-124, 1990.

Hosking, J.R.M, And J.R.Wallis, The effect of intersite dependence on regional frequency analysis, *Water Resour. Res.*, 24(1), 588-600, 1988.

Hosking, J.R.M., J.R. Wallis And E.F. Wood, Estimation of the generalized extreme-value distribution by the method of probability weighted moments, *Technometrics*, 27(3), 251-261, 1985a.

Hosking, J.R.M., J.R. Wallis, And E.F. Wood, An appraisal of the regional flood frequency procedure in the UK Flood Studies Report, *Hydrol. Sci. J.*, 30(1), 85-109, 1985b.

Hosking, J.R.M. Algorithm AS 215: Maximum-Likelihood Estimation of the parameter of the Generalized Extreme-Value distribution,

Hydrologic Engineering Center USCE. “Hydrologic Modeling System. HEC-HMS. User’s Manual”. Version 2.1, 2001

Hubert,P. “Glosario Hidrológico Internacional”. UNESCO. (www.cig.ensmp.fr/~hubert/glu/aglo.htm)

IARH; CAI. “Glosario sobre Desastres por Inundaciones. Documento de Trabajo para las Jornadas de Debate sobre Riesgo, Inundaciones y Catástrofes” Buenos Aires, Marzo, 2004.

INCYTH-CRL . “Caracterización Hidrológica de la Cuenca del Río Salado”. Vol I yII. Santa Fe, 1986.

INCYTH-CRL. “Aplicación de Modelos de Regresión Múltiple para Previsión de Crecidas en la Cuenca Inferior del Río Salado”. Santa Fe, 1988.

INCYTH-CRL . “Estudio de Delimitación de Áreas de riesgo hídrico en Santa Fe”. Santa Fe, 1992.

Jenkinson, A.F. The frequency distribution of the annual maximum (or minimum) values of meteorological elements, Quart. J.R. Met.Soc., 81, 158-171, 1955.

Jin, M., And J.R. Stedinger, Flood frequency analysis with regional and historical information, *Water Resour. Res.*, 25(5), 925-36, 1989.

Kirby, W., *Computer Oriented Wilson-Hilferty Transformation that Preserves the First 3 Moments and Lower Bound of the Pearson Type 3 Distribution*, Water Resources Research, Vol. 10, No. 2, 220-222, 1972.

Kindel, E., 1939; “*El nuevo puente sobre el río Salado entre Santo Tomé y Santa Fe*”. Ejecutado por Gruñe y Bilfinger. SRL. Buenos Aires, Argentina.

Kuczera, G. Comprehensive at-site flood frequency analysis using Monte Carlo Bayesian Inference, *Water Resour. Res.*, 35(5), 1551-1557, 1999.

Leese, M.N., Use of censored data in the estimation of the Gumbel distribution parameters for annual maximum flood series, *Water Resour. Res.*, 9(6), 1534-1542, 1973.

Lettenmaier, D.P., J.R. Wallis, And E.F. Wood, Effect of regional heterogeneity on flood frequency estimation, *Water Resour. Res.*, 23(2), 313-323, 1987.

Lu, L.-H., And J.R. Stedinger, Variance of two- and three-parameter GEV/PWM quantile estimators: formulae, confidence intervals, and a comparison, *J. Hydrol.*, 138, 247-267, 1992.

Madsen, H., P. F. Rasmussen And D. Rosbjerg, Comparison of annual maximum series and partial duration series methods for modeling extreme hydrologic events 1. At-site modeling, *Water Resour Res.*, 33(4), 747-758, 1997a.

Madsen, H., C. P. Pearson And D. Rosbjerg, Comparison of annual maximum series and partial duration series methods for modeling extreme hydrologic events 2. Regional modeling, *Water Resour Res.*, 33(4), 759-770, 1997b.

Maidment, D.R (1992) "Handbook of Hydrology" Ed. McGraw-Hill, Inc. USA.

Martins, E.S. And J.R. Stedinger, Generalized Maximum Likelihood GEV quantile estimators for hydrologic data, *Water Resour. Res.*, 36(3), 734-744, 2000.

Martins, E.S. And J.R. Stedinger, Historical information in a GML-GEV framework with Partial Duration and Annual Maximum Series, *Water Resour. Res.*, Vol. 37(10), 2559–2567, 2001.

Maza, J.A.; L.A.T. Fornero; C.J. Litwin; P.C.O. Fernández. ARHYMO- Manual del usuario. Versión 2. INCyTH-CRA, 1996

Meylan, P. Et Musy, A, Hydrologie fréquentielle. Departement de Genie Rural. Institut d'Aménagement des terres et des Eaux. Hydrologie et aménagements. IATE/HYDRAM, Lausanne, octubre 1996.

Müller, F. E H. D.Fill, Quantis de cheia GEV regionais – uma aplicação prática, RBRH, vol. 2, n. 2, pp. 53-64, 1997.

Natural Environment Research Council. Flood Studies Report, vol. 1, London, 1975

Organización de Estados Americanos. “Manual Sobre el Manejo de Peligros Naturales en la Planificación para el Desarrollo Regional Integrado”. Departamento de Desarrollo Regional y Medio Ambiente Secretaría Ejecutiva para Asuntos Económicos y Sociales. Con el Apoyo de la Oficina de Asistencia para Desastres en el Extranjero Agencia de los Estados Unidos para el Desarrollo Internacional. Washington, D.C., 1993.

Occipinti, A.G., 1989. “Hidrometeorología en Engenharia Hidrológica.” ABRH-UFRJ. R.de Janeiro, Brasil.

Paoli,C.; D. Goniadzki. “La cuenca del Río Salado y la Crecida de Abril del 2003”. Informe INA, 2003.

Reis, D.S., Jr., Flood Frequency Analysis Employing Bayesian Regional Regression and Imperfect Historical Information, Ph.D. Thesis, School of Civil and Environmental Engineering, Cornell University, Ithaca, New York, 2005.

Reis, D.S., Jr., J. R. Stedinger And E. S. Martins, Bayesian GLS Regression with Application to LP3 Regional Skew Estimation, in Proceedings of the EWRI World Water and Environment Resources Congress, ASCE, Philadelphia, P.A., June 23-26, 2005.

Rico,G.; F. Portillo. “Desbordamiento del Río Salado e Inundación de la Ciudad de Santa Fe y Aledaños, Abril de 2003”. Proyecto ARG/98/L/01799. Programa MILLENIUM.. Buenos Aires, febrero de 2004

Rosbjerg, D., H. Madsen And P.F. Rasmussen, Prediction in partial duration series with generalized Pareto-distributed exceedances, Water Resour. Res., 28 (11), 3001-3010, 1992.

Roverano, A. (S/D). “*El Paso Histórico de Santa Fe de la Vera Cruz*”. ED. Castellví, Santa Fe, Argentina.

Stedinger, J.R.; e LU, L.-H. Appraisal of regional and index flood quantile estimators, *Stochastic Hydrol. Hydraul.*, 9(1), 49-75, 1995.

Stedinger, J.R. And T.A. Cohn, Flood frequency analysis with historical and paleoflood information, *Water Resour. Res.*, 22(5), 785-793, 1986.

Stedinger, J.R. And G. D. Tasker, Regional Hydrologic Analysis, 2, Model-Error Estimators, Estimations of Sigma and Log-Pearson Type 3 Distributions, *Water Resources Research*, Vol. 22 (10), 1487-1499, 1986.

Stedinger, J.R. And T.A. Cohn, Historical flood frequency data, its value and use, *Regional Flood Frequency Analysis*, International Symposium on flood frequency and risk analysis, Louisiana State University, V.P. Singh (ed.), D. Reidel Publishing Co., Dordrecht, pp. 273-286, 1987.

Stedinger, J.R., R. Therivel, J. Grygier And R. Wu, Analysis of the frequency of large floods on the Salt and Verde River using historical and paleoflood information, Report to the Salt River Project, Phoenix, Arizona, Dept. of Environ., Engr., Ithaca, NY, Oct., 1986.

Stedinger, J.R., Surani, And R. Therivel, *MAX USERS GUIDE: A program for flood frequency analysis using systematic-record, historical, and botanical, physical paleohydrologic and regional hydraulic information using maximum likelihood technique*, Department of Environmental Engineering, Cornell University, April, 1988.

Stedinger, J.R., R.M. Vogel, And E. Foufoula-Georgiou, Frequency analysis of extreme events, in *Handbook of Applied Hydrology*, chapt. 18, editor-in-chief D.A. Maidment, McGraw-Hill, New York, 1993.

Taesombut, V. And V. Yevjevich, Use of partial flood series for estimating distribution of maximum annual flood peak, *Hydrology Papers*, Colorado State University, Fort Collins, Colorado, 1978.

Tasker, G.D.; Stedinger, J.R., Regional Skew with Weighted LS Regression, *Journal of Water Resources Planning and Management*, Vol. 112, No. 2, 225-237, 1986.

Tucci, C. M. (1993) “*Fundamentos do Escoamento Não Permanente*”, Capítulo 10 en: Hidrología, Ciência e Aplicação. C. M. Tucci (editor), Editora da Universidade de São Paulo. São Paulo, Brasil.

Tucci, C. M. (1993) “*Hidrología*”, Ciência e Aplicação. C. M. Tucci (editor), Editora da Universidade de São Paulo. São Paulo, Brasil.

Tucci, C.E.M., 1994. “*Enchentes Urbanas no Brasil*”, Revista de la Asociacion Brasileira de Recursos Hídricos, Vol. 12/Nº 1, 117-136.

United Nations Development Programme. “Vulnerability and Risk Assessment”. In collaboration with the Office of the United Nations Disaster Relief Coordinator for the Disaster Management Training Programme (DMTP). 2nd Edition, 1991.

United Nations. “Guidelines for Reducing Flood Losses”. UN Department of Economic and Social Affairs (DESA), Division for Sustainable Development; UN Inter-Agency Secretariat of the International Strategy for Disaster Reduction; National Oceanic and Atmosphere Administration (USA NOAA), 2001.

U.N.L.-F.I.C.H. “La Crecida Extraordinaria del Río Salado: Causas Naturales y Antrópicas que Determinaron la Inundación de la Ciudad de Santa Fe”. Santa Fe, 2003

U.S. WEATHER BUREAU, 1958. “Rainfall – intensity – frequency regime”. Technical Paper 29, Part 2, Southeastern United States. Washington, USA.

U.S. Water Resources Council. *Guidelines for Determining Flood Frequency, Bull. 17B(revised)*, U.S. Gov. Print. Off., Washington, D.C., 1982.

U.S. Natural Resources Conservation Service. “Hydrology, Section 4, National Engineering Handbook (NEH-4)”. United States, Department of Agriculture, 2001.

Valdés, J. B.; 1981. “Distribución espacial y temporal de la precipitación”. Postgrado en Planificación e Ingeniería de los Recursos Hídricos. Universidad de Simón Bolívar. Caracas, Venezuela.

Wallis, J.R., And E.F. Wood, Relative accuracy of log Pearson III procedures, *J. Hydraul. Eng.*, 111(7), 1043-1056, 1985.

Wigley, T. "MAGICC/SCENGEN 4.1: User Manual". U.S. National Center for Atmospheric Research. 2003

Willeke, G.E., J.R.M. Hosking, J.R. Wallis, J.R. And N.B. Guttman, The National Drought Atlas (draft). IWR Report 94-NDS-4, U.S. Army Corps of Engineers, Fort Belvoir, Va, 1995.

Wiesner, C. J., 1970. "Hydrometeorology. School of Civil Engineering, University of New South Wales, Australia." 2^a edición, pp 119-130. Ed. Chapman & Hall Ltd. London, UK.

World Meteorological Organization, 1983. "Guide to hydrological Practices". WMO N° 168, Vol. II, Analysis, Forecasting and Other Applications. 4^a edición. Geneva, Schweiz.

World Meteorological Organization (WMO). "Statistical distributions for flood frequency analysis". Operational Hydrology Report N° 33. Switzerland, 1989.

Zellner, A., *An Introduction to Bayesian Inference in Econometrics*, John Wiley and Sons, Inc., New York, 1971.

Zimmermann, E. D.; Ricardi, G.; Pieroni, H. Y Arraigada, M "Curvas de Abatimiento Areal de Tormentas. Región Pampa Ondulada (Santa Fe, Argentina)". Cuadernos del CURIHAM, Volumen 7, N° 1, pp 24 - 37. Rosario, RA. 2001.